# RAW SEQUENCE LISTING
ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: _09/913,494_

Source: _PCT/09,_

Date Processed by STIC: _2/13/2002_

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:
1) **INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY** or,
2) **TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY**

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.
PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)
PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO **REDUCE** ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 3.1 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:
> http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. **EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>** , **EFS Submission User Manual - ePAVE)**
2. **U.S. Postal Service:** U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
3. **Hand Carry directly to:**
   U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
   > Or
   U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. **Federal Express, United Parcel Service, or other** delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002

PCT09

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/913,494

DATE: 02/13/2002
TIME: 10:13:56

Input Set : A:\EP.txt
Output Set: N:\CRF3\02132002\I913494.raw

*Does Not Comply
Corrected Diskette Needed*

delete this

```
W-->    1  SEQUENZPROTOKOLL
W-->    3  Merck Patent GmbH
W-->    0  <110> APPLICANT:    move down        insert <110> and response (mandatory)
        5  <120> TITLE OF INVENTION: Glucose-Dehydrogenase-Fusionsproteine und ihre
        6        Verwendung in Expressionssystemen                    use English for
        8  <130> FILE REFERENCE: 9906920-Bz-mi
       10  <140> CURRENT APPLICATION NUMBER: US/09/913,494
       11  <141> CURRENT FILING DATE: 2002-01-16                a U.S. application
E-->   13  <160> NUMBER OF SEQ ID NOS: 16 14
       15  <170> SOFTWARE: PatentIn Ver. 2.1
```

ERRORED SEQUENCES

see p. 2

```
<400> 14
tagaaggcac agtcgagg
```

last sequence
in submitted file

18

see following pages for *more* error

```
<210> 1
<211> 3992
<212> DNA
<213> Bacillus megaterium

<220>
<221> CDS
<222> (186)..(968)
<223> Glucose-Degydrogenase aus Bacillus megaterium
```

✓ use English

```
<210> 5
<211> 32
<212> DNA
<213> Knstliche Sequenz

<220>
<221> primer_bind
<222> (1)..(32)
<223> Primer 1, GlcDH

<220>
<223> Beschreibung der knstlichen Sequenz Primer
```

Use English

↓ IMPORTANT

The types of errors shown exist throughout the Sequence Listing. Please check subsequent sequences for similar errors.

Input Set : **A:\EP.txt**
Output Set: **N:\CRF3\02132002\I913494.raw**

L:1 M:259 W: Allowed number of lines exceeded, (1) GENERAL INFORMATION:
L:3 M:259 W: Allowed number of lines exceeded, (1) GENERAL INFORMATION:
L:0 M:201 W: Mandatory field data missing, APPLICANT:
L:10 M:270 C: Current Application Number differs, Replaced Application Number
L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:13 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (16) Counted (14)